

Breakout session: Solid-state materials

Ray Shan
Materials Design, Inc.

5th LAMMPS Workshop and Symposium
August 2017 - Albuquerque, NM

LAMMPS resources for solid-state materials

- **Manual**
 - Section 6.12 = orthogonal vs triclinic
 - Section 6.18 = elastic constants
 - Section 6.20 = thermal conductivity
 - Section 6.26 = core/shell model
- **Commands**
 - lattice = define crystal lattice params
 - create_atoms = create crystal lattice of atoms
 - change_box = orthogonal or triclinic boxes
- **Pair styles**
 - pairwise: born, buckingham, morse
 - many-body: eam, edip, eim, gw, meam, mgpt, nb3b, polymorphic, rebo, airebo, snap, sw, tersoff, vashishita
 - reactive: comb, comb3, reax/c (omp,kokkos)
 - kim = <https://openkim.org>

LAMMPS resources (continued)

- **Fixes**
 - box/relax, orient/bcc, orient/fcc, msst, neb, nphug, thermal/conductivity, ttm
- **Computes**
 - coord/atom, cna/atom, centro/atom, voronoi/atom, heat/flux, ackland/atom, xrd, basal/atom
- **Packages**
 - SHOCK, USER-SMD, USER-DIFFRACTION, CORESHELL, REPLICA, USER-PHONON
- **Example dirs**
 - comb, coreshell, crack, eim, friction, gcmc, hugoniostat, indent, meam, msst, nb3b, neb, peri, prd, streitz, tad, vashishita, voronoi, KAPPA, ELASTIC, ELASTIC_T, HEAT
- **Website:** Offsite tools (JAZZ)